

ARGENTI NANOTOMIC-X

DEVELOPMENT CHART

Developer	Dilution	ASA/ISO	Time	Temp
Bellini Hydrofen	1+45	12	7	24C
D-76	stock	25	5	20C
ID-11	stock	25	5	20C
Studional	1+45	12	7	24C
510-Pyro	1+300	64	20	21C
Caffenol LC+C	stock	64	15	20C
HC-110	1+80	50	15	20C
Rodinal	1+100	50	18	20C
Ultrafin	1+10	100	10	22C

www.foto-r3.com

fotoR3