

Developer	Dilution	ISO	TIME	Temp
Xtol	1+2	400	21	20C
Xtol	1+1	400	17	20C
Xtol	1+1	200	14	20C
Ultrafin T-Plus	1+4	200	5.5	20C
Ultrafin	1+20	200	15	20C
Ultrafin	1+9	200	9	20C
Tanol Speed	1+1+100	250	14	24C
Tanol	1+1+100	100	15	24C
TMax Dev	1+4	200	8	24C
Studional	1+15	250	6.5	20C
Studional	1+31	160	13	20C
Spur UFP	1+24	50	8	20C
Spur HRX	1+11	40	12	20C
Rollei RLS Low Speed	1+4	50	10	24C
Rollei D74	1+7	400	7.5	20C
Rollei D74	1+15	200	8.75	20C
Rollei D74	1+9	200	7	20C
Rollei D74	1+7	200	6.5	20C
Rodinal	1+25	400	10	20C
Rodinal	1+100	200	45	20C
Rodinal	1+50	200	17	20C
Rodinal	1+25	200	8	20C
Rodinal	1+100	125	24	20C
Pyrocat-HD	1+1+100	320	14	20C
Pyrocat-HD	1+1+250	200	50	20C
Paranol S	1+50	200	8	20C
Paranol S	1+25	200	3	20C
Nucleol BF200	4+3	200	10	20C
Microphen	stock	200	7.5	22C
MZB	stock	80	6.5	24C
Ilfotec DD-X	1+4	200	8.75	20C
Ilfosol 3	1+9	200	7.5	20C

ID-11	stock	800	18.5	20C
ID-11	stock	320	11	20C
ID-11	1+2	200	18	20C
ID-11	1+1	200	14	20C
Fomadon R09	1+100	200	45	20C
FX-39	1+14	200	17	20C
Eco Pro	1+2	400	21	20C
Eco Pro	1+1	400	17	20C
Eco Pro	1+1	200	14	20C
Diafine	stock	200	5+5	20C
D-76	stock	800	18.5	20C
D-76	stock	320	11	20C
D-76	1+2	200	18	20C
D-76	1+1	200	14	20C
Beutler	1+1+10	160	9.5	20C
Bellini Hydrofen	1+15	200	4	20C
Bellini Hydrofen	1+31	160	13	20C
Atomal 49	stock	800	13	20C
ADX II	1+24	160	11	20C
Spur Speed-Major	1+9	1000	13	20C
Spur Speed-Major	1+14	640	12	20C
Spur Speed-Major	1+20	400	11	20C
Spur Speed-Major	1+24	200	10	20C
Spur Speed-Major	1+30	100	9	20C
Spur SLD	1+14	400	12.5	24C
Spur SLD	1+29	200	8.5	20C
Spur SLD	1+29	160	8.5	20C
Spur SLD	1+20	125	8	20C
Silvermax	1+49	200	20	22C
Silvermax	1+29	200	15.5	20C
Silvermax	1+29	160	15.5	20C
Silvermax	1+49	100	20	22C
Rollei RLS Low Speed	1+4	200	12	24C

Rollei RLS Low Speed	1+4	100	12	24C
Rodinal	1+50	100	15	20C
PMK	1+2+100	12	17	21C
ID-11	2+15	1600	42	20C
ID-11	2+15	100	30	20C
HC-110	B	200	6	20C
Finol	1+1+100	250	12.5	24C
Finol	1+1+100	160	11.5	24C
FX-5	1+3	200	30	20C
FX-39	1+9	200	13.5	20C
Diafine	stock	800	3+3	20C
Diafine	stock	640	3+3	20C
D-76	2+15	1600	42	20C
D-76	1+3	200	22	20C
D-76	2+15	100	30	20C